

DECLARATION OF PERFORMANCE



Manufacturer: European Safety Systems Ltd.
Impress House, Mansell Road, Acton
London, W3 7QH, UK

Equipment Type: A121DC24, A121DC48

Intended Use: Fire Safety (Fire Detection and Fire Alarm Systems – Alarm Devices – Sounders, buildings)

System of Assessment and Verification of Constancy of Performance: 1

Notified Body for EC type Examination and Factory Production Control: VdS Schadensverhütung GmbH
Notified Body No.: 0786
Amsterdamer Str 172-174, 50735 Köln, Germany

EC-type Examination Certificate: 0786-CPD-20258

Standards: EN 54-3:2001 / A1:2002 / A2:2006

Declared Performance:

Essential Characteristics	Performance	Standard
Performance parameters under fire conditions <ul style="list-style-type: none"> - Sound level - Frequencies and sound pattern - Reproducibility - Operational Performance - Attention drawing signal and message broadcast sequences - Synchronisation - Broadcast message performance - Attention drawing signal/silence/message sequence timing - Message synchronisation testing 	<ul style="list-style-type: none"> Pass Pass Pass Pass Not applicable Not applicable Not applicable Not applicable 	EN 54-3:2001 / A1:2002 / A2:2006 Clause 4.2 Clause 4.3 Clause 5.2 Clause 5.3 Clause C.3.1 Clause C.3.2 Clause C.5.1 Clause C.5.2 Clause C.5.3
Operational reliability <ul style="list-style-type: none"> - Durability - Construction - Marking and data - Durability - General testing 	<ul style="list-style-type: none"> Pass Pass Pass Pass Not applicable 	EN 54-3:2001 / A1:2002 / A2:2006 Clause 4.4 Clause 4.5 Clause 4.6 Clause 5.4 Clause C.4
Durability of operational reliability, temperature resistance <ul style="list-style-type: none"> - Dry heat (operational) - Dry heat (endurance) - Cold (operational) - Damp heat. Cyclic (operational) Damp heat, steady state (endurance) Durability of operational reliability, humidity resistance <ul style="list-style-type: none"> - Damp heat, cyclic (operational) - Damp heat, steady state (endurance) - Damp heat, cyclic (endurance) Durability of operational reliability, corrosion resistance <ul style="list-style-type: none"> - Sulphur dioxide (SO₂) corrosion (endurance) Durability of operational reliability, shock and vibration resistance <ul style="list-style-type: none"> - Shock (operational) - Impact (operational) - Vibration, sinusoidal (operational) - Vibration, sinusoidal (endurance) Durability of operational reliability, electrical stability <ul style="list-style-type: none"> - Electromagnetic compatibility (EMC), immunity (operational) Durability of operational reliability, resistance to ingress <ul style="list-style-type: none"> - Enclosure protection 	<ul style="list-style-type: none"> Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass 	EN 54-3:2001 / A1:2002 / A2:2006 Clause 5.5 Clause 5.6 Clause 5.7 Clause 5.8 Clause 5.9 Clause 5.8 Clause 5.9 Clause 5.10 Clause 5.11 Clause 5.12 Clause 5.13 Clause 5.14 Clause 5.15 Clause 5.16 Clause 5.17

The performance of the product identified above is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Martin Streetz
Quality Assurance Manager

Date and Place of Issue: London, 17/10/2013
Document No: 0786-CPD-20258
Issue: A

Telephone: +44 (0)20 8743 8880
 Facsimile: +44 (0)20 8740 4200
 E-mail: sales@e2s.com
 www.e2s.com

European Safety Systems Ltd
 Company Registration No. 2763350
 Registered Office: Impress House
 Mansell Road, London, UK, W3 7QH, UK