Single Microswitch EOL (End of Line) Device



1A - Circuit shown in Unoperated condition
(Glass Intact / Standby Condition)
Terminals +(2,3) & -(4,5) open
Terminals +(2,3) & (6) closed



1B - Circuit shown in Operated condition
(Glass Broken / Button pushed in)
Terminals +(2,3) & -(4,5) closed
Terminals +(2,3) & (6) open

Single Microswitch Series Device



2A - Circuit shown in Unoperated condition
(Glass Intact / Standby Condition)
Terminals +(2,3) & -(4,5) open
Terminals +(2,3) & (6) closed



2B - Circuit shown in Operated condition
(Glass Broken / Button pushed in)
Terminals +(2,3) & -(4,5) closed
Terminals +(2,3) & (6) open

Single Microswitch EOL & Series Device



3A - Circuit shown in Unoperated condition
(Glass Intact / Standby Condition)
Terminals +(2,3) & -(4,5) open
Terminals +(2,3) & (6) closed



3B - Circuit shown in Operated condition
(Glass Broken / Button pushed in)
Terminals +(2,3) & -(4,5) closed
Terminals +(2,3) & (6) open

Single Microswitch EOL & Series Device Wiring Option 2



4A - Circuit shown in Unoperated condition
(Glass Intact / Standby Condition)
Terminals +(1,2) & -(4,5) M/S 1 open
Terminals +(1,2) & (6) M/S 1 closed



4B - Circuit shown in Operated condition
(Glass Broken / Button pushed in)
Terminals +(1,2) & -(4,5) M/S 1 closed
Terminals +(1,2) & (6) M/S 1 open

Note: Content is for general information only and is subject to change without notification.

Customer:	**Drawing:** D150-06-051 REV: 01	ProDetec Measure . Prevent . Protect . Control
Project:	**Title:** BExCP3-PB Push Button Manual Call Point	
PO#	BExCP3B/C/D-BG/PB/PT Manual Call Point Wiring Schematic	
Reference:		
Date:	**DATE:** 07/02/20 DWG BY: PRDCM	

ProDetec Pty.Ltd.
P. +61 (02) 9620 8700
F. +61 (02) 9620 8755
E. info@prodetec.com.au
A. 17/38 Powers Rd,
Seven Hills NSW 2147
www.prodetec.com.au