



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx VTT 14.0001X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 2 [Issue 1 \(2014-02-28\)](#)
[Issue 0 \(2014-02-06\)](#)
Date of Issue: 2018-01-10
Applicant: **Sintrol Oy**
Sintrol Oy
Ruosilantie 15
FI-00390Helsinki
Finland
Equipment: **Dust sensor, types Snifter A2 EX, Snifter A2 RF EX, Snifter mA+ EX, Snifter mA+ RF EX**
Optional accessory:
Type of Protection: **Ex t**
Marking: Ex tb III C T 80 °C Db
or
Ex tc IIIB T 80 °C Dc

Approved for issue on behalf of the IECEx
Certification Body:

Jenni Hirvelä

Position:

Expert

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

VTT Expert Services Ltd.
Kivimiehentie 4, Espoo
P.O.Box 1001
FI-02044 VTT
Finland





IECEx Certificate of Conformity

Certificate No.: **IECEx VTT 14.0001X**

Page 2 of 4

Date of issue: 2018-01-10

Issue No: 2

Manufacturer: **Sintrol Oy**
Sintrol Oy
Ruosilantie 15
FI-00390 Helsinki
Finland

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2011 Explosive atmospheres - Part 0: General requirements
Edition:6.0

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
Edition:2

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[FI/VTT/ExTR14.0003/02](#)

Quality Assessment Report:

[FI/VTT/QAR13.0001/02](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx VTT 14.0001X**

Page 3 of 4

Date of issue: 2018-01-10

Issue No: 2

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Dust sensor Snifter A2 EX, Snifter A2 RF EX, Snifter mA+ EX or Snifter mA+ RF EX is intended to measure the dust particle density which is flowing in a duct.

The sensor may be installed in the boundary wall. The rod of the sensor may be installed in Zone 20 side.

The sensor is equipped with two independent and fully adjustable alarm signals and mA types are equipped with a 4 – 20 mA output. The RF versions are equipped with Radio frequency communication interface.

Electrical data:

U = 24 V DC,

P = 3 W

SPECIFIC CONDITIONS OF USE: YES as shown below:

The allowed ambient temperature range is -20 °C ... +60 °C.

The connections of the permanently connected cable shall be done and shall be protected with external fuses according to the manufacturer's instructions.



IECEx Certificate of Conformity

Certificate No.: **IECEx VTT 14.0001X**

Page 4 of 4

Date of issue: 2018-01-10

Issue No: 2

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Types A3 removed from the current certificate. Conformance with the latest standard IEC 60079-31 version revised.